

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.	:	09/683,993	Confirmation No. 2606
Applicant	:	Honary Hooman	
Filed	:	03/08/2002	
TC/A.U.	:	2195	
Examiner	:	TRUONG, CAMQUY	
Docket No.	:	42390P13490	
Customer No.	:	8791	

Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

SUMMARY OF TELEPHONIC INTERVIEW

Sir:

Applicant thanks the Examiner for the courtesy of a telephonic interview on July 17, 2006, initiated by the Examiner, and continued on July 19, 2006. The following summary is to provide a complete and proper recordation of the substance of the interview:

(A) No exhibit was shown or any demonstration conducted.

(B) Claims 11, 19, and 24 were discussed.

(C) No specific prior art was discussed.

(D) The Examiner proposed that claim 11 be amended to include claims 15, 16, and 18, that claim 19 be amended to include claims 21, 22, and 23, and that claim 24 be amended to include claims 27, 28, and 30. The Examiner further proposed that all claims be amended to include that the retrieved data frames are placed into an execution queue to be processed by a processing unit.

(E) The Examiner indicated that claims 11, 19, and 24 were unpatentable under 35 U.S.C. § 101 under recently revised Office Guidelines because the claimed invention lacks a tangible

result. The Examiner indicated that the above indicated amendments would place claims 11, 19, and 24 in condition for allowance.

(F) No other pertinent matters discussed.

(G) Applicant agreed to study the Examiner's proposal and to provide text for entry of an Examiner's amendment reflecting the Examiner's proposal that would be acceptable to the applicant. Applicant provided a copy of amended claims as shown below. The Examiner agreed to enter the proposed amendments as Examiner's amendments.

(H) No part of the interview was conducted via electronic mail.

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (previously presented):

1 A device comprising:

2 a port to receive one or more data streams, each data stream including one or more data
3 frames;

4 a task scheduler coupled to the port, the task scheduler to generate a task identifier for
5 every data frame received;

6 a first queue to hold task identifiers for which a corresponding data frame is of a first
7 priority type;

8 a second queue to hold task identifiers for which the corresponding data frame is of a
9 second priority type, the second priority type different than the first priority type;

10 a switch coupled to the first and second queues, the switch configured to retrieve task
11 identifiers from the first queue and the second queue in a fair manner;

12 a third queue coupled to the switch, the third queue to hold a plurality of task identifiers
13 placed in the third queue by the switch and provide the task identifiers to a processing
14 unit in the order task identifiers were placed in the third queue by the switch;

15 a classifier coupled to the port and to the first queue, the classifier to assign one of a
16 plurality of priority types to every data frame received, the plurality of priority types
17 including the first priority type and the second priority type, the classifier to monitor the
18 first queue for an overflow condition and, if an overflow condition is detected, to reassign
19 data frame priority types from the first priority type to the second priority type to prevent
20 overflow of the first queue; and

21 a task router coupled to the task scheduler, the classifier, the first queue, and the second
22 queue, the task router configured to

23 receive the task identifier from the task scheduler, the task identifier corresponding to
24 a received data frame,

25 receive a priority type from the classifier, the priority type corresponding to the
26 received data frame,

27 place the task identifier in the first queue if the priority type is the first priority type,
28 and

29 place the task identifier in the second queue if the priority type is the second priority type.

2. (cancelled)

3. (previously presented):

1 The device of claim 1 further comprising:
2 a look-up table communicatively coupled to the task scheduler and to the port, the look-
3 up table to provide one of the first priority type and the second priority type to the task
4 scheduler for every data frame received according to the data stream in which the data
5 frame was included.

4. (previously presented):

1 The device of claim 3 wherein one of the first priority type and the second priority type is
2 pre-assigned to the data stream.

5. (previously presented):

1 The device of claim 3 wherein the conversions between priority types and data frame types
2 are dynamically configured in response to usage of the first and second queues.

6.-7. (cancelled)

8. (previously presented):

1 The device of claim 1 wherein the switch is configured to retrieve task identifiers from both
2 the first and second queues in a task retrieval cycle in which at least one task identifier is
3 retrieved from each of the first and second queues such that space in the third queue is
4 allotted equally according to processing time restrictions.

9. (previously presented):

1 The device of claim 1 wherein the switch is configured to retrieve task identifiers with the
2 first priority type until a cumulative processing time requirement for the retrieved task
3 identifiers with the first priority type is substantially equal to a processing time requirement
4 for the task identifiers with the second priority type, and then to retrieve a task identifier with
5 the second priority type.

10. (original):

1 The device of claim 1 wherein the third queue is a shared execution queue from which one or
2 more processing units retrieve task identifiers to process.

11. (currently amended):

1 A method comprising:
2 receiving one or more data streams, each data stream including one or more data frames
3 of one or more data frame ~~types~~; types, each data frame type corresponding to a particular
4 processing time requirement for data frames of the data frame type;
5 determining a task priority level for each data frame received;
6 routing each data frame to one of one or more storage queues based on the task priority
7 level of each data frame;
8 retrieving the data frames from the one or more storage queues during a task retrieval
9 cycle according to a fair and weighted processing scheme based on task priority ~~level~~;
10 and level, wherein data frames of approximately equal total processing time restrictions
11 are retrieved from each storage queue in a task retrieval cycle;
12 reassigning the task priority level for each data frame received prior to routing if an
13 overflow condition is detected in a first storage queue and if the task priority level would
14 cause a data frame to be stored in the first storage queue, the task priority level being
15 reassigned to a task priority level that will cause the data frame to be stored in other than
16 the first storage ~~queue~~; queue; and
17 placing a plurality of the retrieved data frames into an execution queue to be processed by
18 a processing unit.

12. (previously presented):

1 The method of claim 11 wherein the task priority level is determined from one of frame size,
2 echo canceller tail length, codec type, and frame processing requirements.

13. (original):

1 The method of claim 11 wherein the task priority level corresponding to a particular data
2 frame type is pre-configured.

14. (original):

1 The method of claim 11 wherein each storage queue stores data frames of a different task
2 priority level than the other storage queues.

15.-18. (cancelled)

19. (currently amended):

1 A method comprising:

2 receiving one or more data streams, each data stream including one or more data frames
3 of one or more data frame ~~types;~~ types, each data frame type corresponding to a particular
4 processing time requirement for data frames of the data frame type;

5 determining a task priority level for each data frame received;

6 assigning a unique task identifier to each received data frame;

7 storing each task identifier to one of multiple storage queues according to the task priority
8 level of the corresponding data frame;

9 retrieving task identifiers from the one or more storage queues during a task retrieval
10 cycle according to a weighted processing scheme based on task priority ~~levels; and~~ levels,
11 wherein task identifiers corresponding to data frames of approximately equal total
12 processing time requirements are retrieved from each storage queue in a task retrieval
13 cycle;

14 reassigning the task priority level for each data frame received prior to storing each task
15 identifier if an overflow condition is detected in a first storage queue and if the task
16 priority level would cause a task identifier to be stored in a first storage queue, the task
17 priority level being reassigned to a task priority level that will cause the task identifier to
18 be stored in other than the first storage ~~queue.~~ queue; and

19 placing a plurality of the retrieved task identifiers into an execution queue to be processed
20 by a processing unit.

20. (previously presented):

1 The method of claim 19 wherein the task priority level is determined from one of frame size,
2 echo canceller tail length, codec type, and frame processing requirements.

21.-23. (cancelled):

24. (currently amended):

1 A machine-readable medium having one or more instructions for scheduling processing tasks,
2 which when executed by a processor, causes the processor to perform operations comprising:
3 receiving one or more data streams, each data stream including one or more data frames
4 of one or more data frame ~~types;~~ types, each data frame type corresponding to a particular
5 processing time requirement for data frames of the data frame type;
6 determining the task priority level for each data frame received;
7 routing each data frame to one of one or more storage queues based on the task priority
8 level of each data frame; and
9 retrieving the data frames from the one or more storage queues during a task retrieval
10 cycle according to a fair and weighted processing scheme based on task priority ~~level;~~
11 and level, wherein data frames of approximately equal total processing time are retrieved
12 from each storage queue in a task retrieval cycle;
13 reassigning the task priority level for each data frame received prior to routing if an
14 overflow condition is detected in a first storage queue and if the task priority level would
15 cause a data frame to be stored in the first storage queue, the task priority level being
16 reassigned to a task priority level that will cause the data frame to be stored in other than
17 the first storage ~~queue.~~ queue; and
18 placing a plurality of the retrieved data frames into an execution queue to be processed by
19 a processing unit.

25. (previously presented):

1 The machine-readable medium of claim 24 wherein the task priority level is determined from
2 one of frame size, echo canceller tail length, codec type, and frame processing requirements.

26. (original):

1 The machine-readable medium of claim 24 wherein each storage queue stores data frames of
2 a different task priority level than the other storage queues.

Appl. No. 09/683,993
Summary of Telephonic Interview
Dated August 14, 2006

27.-30. (cancelled)

Conclusion

Applicant reserves all rights with respect to the applicability of the doctrine of equivalents. Applicant respectfully requests that a timely Notice of Allowance be issued in this case.

Respectfully submitted,

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP

/James Henry/

Dated: August 14, 2006

By _____

James Henry
Reg. No. 41,064
Tel.: (714) 557-3800 (Pacific Coast)